

## Outpatient: Entering/Searching for an ICD-10 Diagnosis Code in Eagle Mainframe

Effective for dates of Service of October 1, 2015 and after, ICD-10 codes will now be required to process all medical claims. This aid will provide guidance on the various methods for searching, locating, and entering ICD-10 diagnosis codes in Eagle Mainframe for all outpatient areas. The current options are:

- A. searching by diagnosis description
- B. entering the ICD-10 code directly, if known
- C. using Eagle's question-mark lookup feature

### A. Searching by Diagnosis Description

To search for a diagnosis code in Eagle mainframe based on its description

- 1) Enter the diagnosis description in **ICD DIAG/PROC – FND** (Diagnosis/Procedure Find) field; then
- 2) enter the ICD version in **D/P-VSN** (Diagnosis/Procedure Version): "0" for ICD-10 or "9" for ICD-9

**ICD-10 REMINDER: ICD-10 diagnosis codes are 3 – 7 characters in length and alpha-numeric. The first character of an ICD-10 diagnosis code is always a letter.**

```

=== VISIT DATE: 08/11/15 === TIME: 01:00:00
OR TM: ANEST:
ICD DIAG/PROC- FND: whooping cough
CL: A ACTIVE
D/P-VSN: 0
  
```

TP	CODE	VSN	DESCRIPTION	DIAGS/PROCS	TP	CODE	VSN	DESCRIPTION	DIAGS/PROCS
1	<b>A</b>				2				

**TP (Type) Codes**

1. **A** - Admitting
2. **D** - Diagnosis
3. **P** - Procedure
4. **ELCX E Codes**→
  - a. **L** - Location of Injury
  - b. **C** - Cause of injury
  - c. **X** - Other E Codes

**Note:** The **RESTORE** command is used to revert to the original information on the screen.

**Indicate the ICD version of the diagnosis you are looking for**

**Type the description of the diagnosis here**

```

** ERROR: Diagnosis must be entered
&ALLMSG      &CANCEL      &RESTORE      &LIST      &PREV
&VHFRESND    &VFC          &LABLE        &CPT4      ACTION ==>
  
```

A list of diagnosis codes will be displayed based upon the description entered in the ICD DIAG/PROC-FND field.

- 3) Enter the SEQ# that best describes what you are searching for in the ACTION field to select it, press enter.

```

Entire-List ===== FIRST SCORE LISTED: 2 =====
FREE FORM: WHOOPING COUGH
ICD VERSION: 0          MAJOR or DETAIL: M
  
```

SEQ#	SEL	CODE	V	DESCRIPTION
2		A37	0	Whooping cough
3		A370	0	Whooping cough due to Bordetella pertussis
4		A371	0	Whooping cough due to Bordetella parapertussis
5		A378	0	Whooping cough due to other Bordetella species
6		A379	0	Whooping cough, unspecified species

SCORE: 2

**ICD version**

**ACTION ==> 3**

## Outpatient: Entering/Searching for an ICD-10 Diagnosis Code in Eagle Mainframe

An additional diagnosis screen will be displayed, providing a more precise description.

- 4) enter the appropriate SEQ# in the ACTION field to select it, press enter.

```
Entire-List ===== DIAGNOSIS =====
MAJOR CODE: A370      Whooping cough due to Bordetella pertussis

SEQ#   SEL   CODE   V DESCRIPTION
-----
  1           A3700  0 Whooping cough due to Bordetella pertussis without
                    pneumonia
  3           A3701  0 Whooping cough due to Bordetella pertussis with
                    pneumonia

&END                                     ACTION ==> 3
```

### B. Entering the ICD-10 code directly, if known

- 1) Enter the ICD-10 code directly in the code field. This procedure can be repeated until all required diagnoses are entered.
- 2) Press enter after data entry is complete.

```
=== VISIT DATE: 07/30/15 === TIME: 02:19P =====
OR TM:      ANEST:      TYP: CZZZZ      CHG:      CL: A ACTIVE
ICD DIAG/PROC- FND:      D/P-VSN:
TP CODE  VSN DESCRIPTION  DIAGS/PROCS      TP CODE  VSN DESCRIPTION  DIAGS/PROCS
-----
 1 A A3701  0 Whooping cough due to Bor 2 G0400
 3
 5
 7
 9
11
13
15
17
19
21
23
25
&VHFRESND      &ALLMSG      &CANCEL      &RESTORE      &LIST      &PREV
&VFC            &LABLE       &CPT4        ACTION ==>
```

D/P-VSN:

```
TP CODE  VSN DESCRIPTION  DIAGS/PROCS
-----
 2 D G0400  0 Acute disseminated encep
 4
 6
```

## Outpatient: Entering/Searching for an ICD-10 Diagnosis Code in Eagle Mainframe

### C. Using Eagle's question-mark lookup feature

- 1) Type the question mark "?" followed directly by the first few characters of the ICD-10 code in the CODE field
- 2) Type "0" in the VSN (version) field to indicate you are searching for an ICD-10 diagnosis code
- 3) Enter the SEQ# that best describes what you are searching for in the ACTION field to select it, press enter

```

=== VISIT DATE: 07/28/15 === TIME: 04:13P =====
OR TM:      ANEST:      TYP: CBBBB  CHG: 408CBBBB CL: C CLOSED VISIT
ICD DIAG/PROC- FND:      D/P-VSN:
  TP CODE  VSN  DESCRIPTION  DIAGS/PROCS      TP CODE  VSN  DESCRIPTION  DIAGS/PROCS
-----
1 A A3701   0 Whooping cough due to Bor 2 D G0400   0 Acute disseminated encep
3 ?B068  0
5
7
9
  
```

Entire-List =====  
 LIST OF VALUES FOR: Diagnosis RANGE: INITIAL LETTERS: B068

SEQ#	SEL	CODE	DESCRIPTION	V	GEN	SEX	AGERN
		B068	Rubella with other comp	0	Y		0 99
2		B0681	Rubella pneumonia	0	N		0 99
3		B0682	Rubella arthritis	0	N		0 99
4		B0689	Other rubella complicat	0	N		0 99

When doing a lookup with the aid of Eagle's question-mark function, it is important to use the initial part of the code so that the code range list is sequential and comprehensive.