ICD10 Code Selection in CROWN

ICD-10 Code Selection in CROWN

The transition to ICD-10 brings a substantial increase in the number of available diagnosis codes. This change allows providers to capture the true complexity of our patient's conditions, and the treatment given.

In this era of "do more with less," how much less is tied directly to when and how much you are reimbursed for the services you provide.

The two keys to successful, timely reimbursement are to:

- Choose the most specific diagnosis codes that are applicable for the patient, and
- Make sure that the codes in your note and charges match.

In other words, if your patient has an open femur fracture, then both your note and bill should say *open* femur fracture, not just femur fracture.

Document a Specific Diagnosis

 Click the P on the clinical toolbar to open the Add Clinical Item (ACI) search box to the Active problems tab. You can complete this step from the chart before starting your note, or while writing it. In either case, the clinical toolbar is available at the top of the screen.



- 2. Optional: change the view from My Favorites to your specialty favorites using the dropdown to the right of the search box. Personal favorites lists for this tab are being updated to match the specialty lists, which were built in collaboration with your department.
- 3. Enter a diagnosis in the search box. If the correct diagnosis does not display from the selected list (MED Cardiology, in this example), then click the **binoculars** or press Enter on your keyboard.
- 4. Click the expander (+) for the appropriate diagnosis category.

History B	uilder	Orders	•								
Active	PMH	PSH	Fam Hx	Social Hx Allergies		Med Hx	Immun Hx				
acute	6		MED Cardiology								
	MED	Cardiology				ICD	ICD-10				
	Acute l	e MI 410.90 121.3									
1 E	Acute ST elevation myocardial infarction (STEMI) 410.90 I21.3										
	Acute	ST elevation my	elevation myocardial infarction (STEMI) involvin 410.10 121.02								

ICD10 Code Selection in CROWN

- 5. Use the filters at the top of the Select Clinical Qualifier dialog box to drill down to the most specific code applicable for this patient.
- 6. Select the correct diagnosis.
- 7. Click OK.

🔜 Select Clinical Qualifier		_ □	×
Acute MI			
MYOCARD INFARC INVOLVED ARTERY			
LAD coronary artery non-ST elevation myocardial infarction			
left circumflex coronary artery ST elevation myocardial infarction			
left main coronary artery			
other anterior wall coronary artery			
other coronary artery			
j alle an indention could a some some solution			
All	ICD	ICD-10	
Acute ST elevation myocardial infarction (STEMI) involving left main coronary artery	410.10	121.01	
		K Cance	

Note that you can filter your way out of any available selections. If that happens, click the filter again to de-select it.

🔡 Select Clinical Qua	📓 Select Clinical Qualifier									
Broken ankle										
FRACTURE TYPE closed open	ENCOUNTER TYPE initial encounter sequela subsequent encounter	LATERALITY left right unspecified laterality	OPEN FRACTURE TYPE	FRACTURE HEALING with delayed healing with malunion with nonunion with routine healing						
	There are no items to show in this view									

8. Click **OK** to close the ACI.

OK Cancel

9. Click **Commit** on the clinical toolbar.



10. Click **Save and continue** on the Encounter Summary.



ICD10 Code Selection in CROWN

Assess an Existing Diagnosis

 In the Problem tab of the chart, click the Assess Problem icon for the applicable diagnosis.

Problem	Allergies	E	Encounter Me			eds	Orders	s Flo	owsheets	Chart	
All	•	Туре	• Ø		3	Y	•				
	Name							1	CD-9	ICD-10	
Ξ	Active	Active									
Ξ	Chronic	Chronic									
	Asthma 493.90 J45.909										
	Hyperlipidemia 272.4 E78.5										

Troubleshooting: if you notice that your assessed problems do not autopopulate in the charge screen, right-click on the problem and choose **Assess**.



2. **Commit** your changes as shown above.

Add Diagnoses to the Charges

The problems you add or assess during the visit should flow directly into the charge screen. You may see duplicates during the transition from ICD9 to ICD-10. If that happens, leave both codes on the charge.

- 1. Within your specialty View (MED Cards, in this example), click the **ICD10 Favorites** link, if available.
- 2. If necessary, click the hyperlinks to page through additional codes (2, <u>More</u>, etc.) to find the correct code.

Encounter For	m	Diagnosis		Visit Charges	Pr	ocedure Charge	s		
CROW Select Patier	/N, nt▼	,MM i	4	Eagle MRN IDX MRN: DOB:	4: 7 I 1	2004762 DX05182884 .1/11/2011	Age: Sex: AKA:	3 Years M MM	
Diagnosis Selector (Sorted by Code)									
View: M	ED C	ards							
Diabetic Neuropa ICD10 Favorites				No active medical problems (249.00) (E08.9) Diabetes mellitus due to (240.00) (E09.9) Drug or obergical induces					
Pages: 🤇	1	<u>2 Mc</u>	ore	>	,	, brag or onor	moart		
Primary	#	ICD-9		ICD-10	Di	agnosis			
Yes	1	410.10		I21.01		Acute ST el	evati	on my	
	2	493.90		J45.909		Asthma			

- 3. If the code you need is not in your ICD10 Favorites list, change the View to Master.
- 4. Enter the diagnosis in the search box. You can use text, or the actual numeric code, if you know it.
- 5. Click **Go**.

Diagr	nosis Selector	(Sorted b	oy Code)	Select Encour
View:	Master	•	anemia	<u>60</u> 🖲 乞

6. When the Diagnosis Search Dialog window opens, click the plus sign next to desired diagnosis category.

Diagnosis Search Dialog							×
anemia 💿 🕰 🗸							
	ICD		ICD-10	3	Problem Name	ICD-9	ICD-10
(🗉 Anemia	285.9		D64.9	1	There are no items to show in th	is view	
Anemia, Addison's	281.0		D51.0				
🗉 Anemia, antepartum	648.23	+	099.019				
🔳 🗄 Anemia, aplastic	284.9		D61.9				
Anomia Biormor	281.0		D51.0				

7. Use the Select Clinical Qualifier window to choose the most specific, appropriate code to match your note.

🔡 Select Clinical Qualifier							
Anemia							
OTHER CAUSES OF ANEMIA		BONE MARROW FAIL ANEMIA TYPE					
acute posthemorrhagic		chronic acquired pure red cell aplasia					
congenital dyserythropoietic		drug-induced aplastic anemia					
due to antineoplastic chemotherapy		due to antineoplastic chemotherapy-induced pancy					
due to chronic kidney disease		due to constitutional red blood cell aplasia					
due to G6PD deficiency		due to myelophthisis					
aliza da adriza la del ante en esta ante en esta en est	<u> </u>	at a data at a discussion in all so and a second data and a					
Anemia							
Acquired hemolytic anemia							
Acquired pure red cell aplasia							
Acute posthemorrhagic anemia	Acute posthemorrhagic anemia						
Anaemia due to other disorders	sofa	lutathione metaholism					

- 8. Once you have selected the correct code, either:
 - A. Click **OK** Adds the code and returns you to the Diagnosis tab, or
 - B. Click Next Adds the code and moves you forward to the Visit Charges tab.

Diagnosis Search Dialog			×
anemia 💿 🛄 🗸			
All	ICD	ICD-10	Broblem Name ICD-9 ICD-10
🗄 Anemia	285.9	D64.9	Anemia due to disorders of nucleotide metabolism 282.3 D55.3
Anemia of infection	285.9	D64.9	
📧 Anemia of pregnancy	648.20 🕂	099.019	Remove
	770.0		
			Next OK Cancel

9. Complete and Submit your charges following the normal workflow.