

## ICD-10-CM Pediatric/Strabismus

<b>AMBLYOPIA</b>	<b>H53.0-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Unspecified	H53.001	H53.002	H53.003	X	<del>H53.009</del>
Deprivation	H53.011	H53.012	H53.013	X	<del>H53.019</del>
Refractive	H53.021	H53.022	H53.023	X	<del>H53.029</del>
Strabismic	H53.031	H53.032	H53.033	X	<del>H53.039</del>
<b>ARTHRITIS</b> Includes, but not limited to:	<b>M08.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Juvenile rheumatoid arthritis, unspecified	X	X	X	M08.00	X
<b>CONJUNCTIVITIS</b> Includes, but not limited to:	<b>H10.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Acute follicular	H10.011	H10.012	H10.013	X	<del>H10.019</del>
Neonatal	X	X	X	P39.1	X
Due to adenovirus	X	X	X	B30.1	X
Due to Acanthamoeba	X	X	X	B60.12	X
Other mucopurulent	H10.021	H10.022	H10.023	X	<del>H10.029</del>
Acute atopic	H10.11	H10.12	H10.13	X	X
Acute toxic	H10.211	H10.212	H10.213	X	<del>H10.219</del>
Chronic giant papillary	H10.411	H10.412	H10.413	X	<del>H10.419</del>
Chronic follicular	H10.431	H10.432	H10.433	X	<del>H10.439</del>
Simple chronic	H10.421	H10.422	H10.423	X	<del>H10.429</del>
Vernal	X	X	X	H10.44	X
Angular blepharoconjunctivitis	H10.521	H10.522	H10.523	X	<del>H10.529</del>
Contact blepharoconjunctivitis	H10.531	H10.532	H10.533	X	<del>H10.539</del>
Other chronic allergic	X	X	X	H10.45	X
Herpesviral	X	X	X	B00.53	X
Phlyctenular keratoconjunctivitis	H16.251	H16.252	H16.253	X	<del>H16.259</del>

<b>ESOTROPIA</b>		<b>H50.0-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Unspecified	X	X	X	H50.00	X	
Monocular	H50.011	H50.012	X	X	X	
Monocular, with A pattern	H50.021	H50.022	X	X	X	
Monocular, with V pattern	H50.031	H50.032	X	X	X	
Monocular, with other noncomitancies	H50.041	H50.042	X	X	X	
Alternating	X	X	X	H50.05	X	
Alternating, with A pattern	X	X	X	H50.06	X	
Alternating, with V pattern	X	X	X	H50.07	X	
Alternating, other	X	X	X	H50.08	X	
Intermittent monocular	H50.311	H50.312	X	X	X	
Intermittent alternating	X	X	X	H50.32	X	
Accommodative component in esotropia	X	X	X	H50.43	X	
<b>EXOTROPIA</b>		<b>H50.0-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Unspecified	X	X	X	H50.10	X	
Monocular	H50.111	H50.112	X	X	X	
Monocular, with A pattern	H50.121	H50.122	X	X	X	
Monocular, with V pattern	H50.131	H50.132	X	X	X	
Monocular, with other noncomitancies	H50.141	H50.142	X	X	X	
Alternating	X	X	X	H50.15	X	
Alternating, with A pattern	X	X	X	H50.16	X	
Alternating, with V pattern	X	X	X	H50.17	X	
Alternating, other	X	X	X	H50.18	X	
Intermittent monocular	H50.331	H50.332	X	X	X	
Intermittent alternating	X	X	X	H50.34	X	
<b>EYELIDS</b> Includes, but not limited to:						
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Blepharitis, unspecified	H01.001, H01.002	H01.004, H01.005	X	X	H01.003, H01.006, H01.009	
Chalazion	H00.11, H00.12	H00.14, H00.15	X	X	H00.13, H00.16, H00.19	
<b>These codes include lid laterality as the last character: 1-RUL, 2-RLL, 4-LUL, 5-LLL</b>						

<b>LACRIMAL</b> Includes, but not limited to:					
	<b>H04.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Acquired nasolacrimal duct stenosis	H04.551	H04.552	H04.553	X	<del>H04.559</del>
Congenital nasolacrimal duct stenosis and stricture	X	X	X	Q10.5	X
Neonatal nasolacrimal duct obstruction	H04.531	H04.532	H04.533	X	<del>H04.539</del>
Epiphora due to excess lacrimation	H04.211	H04.212	H04.213	X	<del>H04.219</del>
Epiphora due to insufficient drainage	H04.221	H04.222	H04.223	X	<del>H04.229</del>
<b>LENS</b> Includes, but not limited to:					
	<b>H26.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Aphakia	H27.01	H27.02	H27.03	X	<del>H27.00</del>
Subluxation of lens	H27.111	H27.112	H27.113	X	<del>H27.119</del>
Juvenile cortical, lamellar or zonular cataract	H26.011	H26.012	H26.013	X	<del>H26.019</del>
Infantile and juvenile nuclear cataract	H26.031	H26.032	H26.033	X	<del>H26.039</del>
Anterior subcapsular polar infantile and juvenile cataract	H26.041	H26.042	H26.043	X	<del>H26.049</del>
Posterior subcapsular polar infantile and juvenile cataract	H26.051	H26.052	H26.053	X	<del>H26.059</del>
Pseudophakia	X	X	X	Z96.1	X
Secondary cataract	H26.491	H26.492	H26.493	X	<del>H26.499</del>
Total traumatic cataract	H26.131	H26.132	H26.133	X	<del>H26.139</del>
<b>MASS</b> Includes, but not limited to:					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Hemangioma of skin and subcutaneous sites	X	X	X	D18.01	X
Hemangioma of other sites	X	X	X	D18.09	X
Benign neoplasm of orbit, unspecified site	D31.61	D31.62	X	X	<del>D31.60</del>
<b>NYSTAGMUS</b>					
	<b>H55.0-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Unspecified	X	X	X	H55.00	X
Congenital	X	X	X	H55.01	X
Latent	X	X	X	H55.02	X
Visual deprivation	X	X	X	H55.03	X
Dissociated	X	X	X	H55.04	X
Other forms	X	X	X	H55.09	X

<b>PALSIES</b>		<b>H49.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Third oculomotor nerve	H49.01	H49.02	H49.03	X	<del>H49.00</del>	
Fourth oculomotor nerve	H49.11	H49.12	H49.13	X	<del>H49.10</del>	
Sixth oculomotor nerve	H49.21	H49.22	H49.23	X	<del>H49.20</del>	
Total (external) ophthalmoplegia	H49.31	H49.32	H49.33	X	<del>H49.30</del>	
Progressive external ophthalmoplegia	H49.41	H49.42	H49.43	X	<del>H49.40</del>	
Kearns-Sayre Syndrome	H49.811	H49.812	H49.813	X	<del>H49.819</del>	
Other paralytic strabismus	H49.881	H49.882	H49.883	X	<del>H49.889</del>	
Unspecified	X	X	X	H49.9		
<b>PTOSIS</b>		<b>H02.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Congenital	X	X	X	Q10.0		
Mechanical	H02.411	H02.412	H02.413	X	<del>H02.419</del>	
Myogenic	H02.421	H02.422	H02.423	X	<del>H02.429</del>	
Paralytic	H02.431	H02.432	H02.433	X	<del>H02.439</del>	
<b>REFRACTIVE</b>		<b>H52.-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Anisometropia	X	X	X	H52.31	X	
Astigmatism, irregular	H52.211	H52.212	H52.213	X	<del>H52.219</del>	
Astigmatism, regular	H52.221	H52.222	H52.223	X	<del>H52.229</del>	
Hypermetropia	H52.01	H52.02	H52.03	X	<del>H52.00</del>	
Myopia	H52.11	H52.12	H52.13	X	<del>H52.10</del>	
Routine Exam	X	X	X	Z01.00	X	
<b>RETINOPATHY OF PREMATURITY</b>		<b>H35.1-</b>				
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED	
Unspecified	H35.101	H35.102	H35.103	X	<del>H35.109</del>	
Stage 0	H35.111	H35.112	H35.113	X	<del>H35.119</del>	
Stage 1	H35.121	H35.122	H35.123	X	<del>H35.129</del>	
Stage 2	H35.131	H35.132	H35.133	X	<del>H35.139</del>	
Stage 3	H35.141	H35.142	H35.143	X	<del>H35.149</del>	
Stage 4	H35.151	H35.152	H35.153	X	<del>H35.159</del>	
Stage 5	H35.161	H35.162	H35.163	X	<del>H35.169</del>	

<b>STRABISMUS</b>					
	<b>H50.-</b>				
<b>Type</b>	<b>RT</b>	<b>LT</b>	<b>OU</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Hypertropia/Vertical	H50.21	H50.22	X	X	X
Duane's Syndrome	H50.811	H50.812	X	X	X
Mechanical (Brown's Sheath syndrome)	H50.611	H50.612	X	H50.60	X
Other mechanical	X	X	X	H50.69	X
Accommodative component					
Other specified	X	X	X	H50.89	X
Unspecified	X	X	X	H50.9	X
Heterophoria	X	X	X	H50.50	X
Esophoria	X	X	X	H50.51	X
Exophoria	X	X	X	H50.52	X
Cyclophoria	X	X	X	H50.54	X
Alternating heterophoria	X	X	X	H50.55	X
Vertical heterophoria	X	X	X	H50.53	X
Pseudostrabismus	X	X	X	Q10.3	X
<b>SYSTEMIC</b>					
<b>Type</b>	<b>RT</b>	<b>LT</b>	<b>OU</b>	<b>SINGLE CODE</b>	<b>UNSPECIFIED</b>
Diabetes mellitus, type 1 without complications	X	X	X	E10.9	X
Down's syndrome, unspecified	X	X	X	Q90.9	X
Marfans	X	X	X	Q87.42	X
Myasthenia Gravis with (acute) exacerbation	X	X	X	G70.01	X
Myasthenia Gravis without (acute) exacerbation	X	X	X	G70.00	X
Myoneural disorder	X	X	X	G70.9	X
Neurofibromatosis, type 1	X	X	X	Q85.01	X
Neurofibromatosis, type 2	X	X	X	Q85.02	X
Neurofibromatosis, other	X	X	X	Q85.09	X
Port Wine Stain	X	X	X	Q85.2	X
Sturge-Weber	X	X	X	Q85.8	X
Torticollis, congenital	X	X	X	Q68.0	X

<b>UVEITIS/ IRIDOCYCLITIS</b>					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Sympathetic	H44.131	H44.132	H44.133	X	<del>H44.139</del>
Panuveitis	H44.111	H44.112	H44.113	X	<del>H44.119</del>
Primary	H20.011	H20.012	H20.013	X	<del>H20.019</del>
Secondary infectious	H20.031	H20.032	H20.033	X	<del>H20.039</del>
Secondary noninfectious	H20.041	H20.042	H20.043	X	<del>H20.049</del>
Chronic	H20.11	H20.12	H20.13	X	<del>H20.10</del>
Posterior cyclitis	H30.21	H30.22	H30.23	X	<del>H30.20</del>
<b>MISCELLANEOUS</b>					
Type	RT	LT	OU	SINGLE CODE	UNSPECIFIED
Abrasion, conjunctival	S05.01X-	S05.02X-	X	S05.00X-	X
Abrasion, corneal	S05.01X-	S05.02X-	X	S05.00X-	X
Conjunctival foreign body	T15.11X-	T15.12X-	X	T15.10X-	X
Corneal foreign body	T15.01X-	T15.02X-	X	T15.00X	X
<b>The appropriate 7<sup>th</sup> character to be added: A-initial encounter, D-subsequent encounter, or S-Sequela</b>					
Anisocoria	X	X	X	H57.02	X
Aniridia	X	X	X	Q13.1	X
Blepharospasm	X	X	X	G24.5	X
Convergence Insufficiency	X	X	X	H51.11	X
Diplopia	X	X	X	H53.2	X
Headache NOS	X	X	X	R51	X
Marcus Gunn's syndrome	X	X	X	Q07.8	X
Other specified disorders of binocular movement	X	X	X	H51.8	X
Ocular pain	H57.11	H57.12	H57.13	X	<del>H57.10</del>
Other specified disorders of eye and adnexa	X	X	X	H57.8	X
Retinoblastoma	C69.21	C69.22	X	C69.20	X
Unspecified disorder of eye and adnexa	X	X	X	H57.9	X

Disclaimer and Limitation of Liability: All information provided by the American Academy of Ophthalmology, its employees, agents, or representatives participating in the Academy's coding service is as current and reliable as reasonably possible. The Academy does not provide legal or accounting services or advice. You should seek legal and/or accounting advice if appropriate to your situation. Coding is a complicated process involving continually changing rules and the application of judgment to factual situations. The Academy does not guarantee or warrant that either public or private payers will agree with the Academy's information or recommendations. The Academy shall not be liable to you or any other party to any extent whatsoever for errors in, or omissions from any such information provided by the Academy, its employees, agents, or representatives. The Academy's sole liability for any claim connected to its provision of coding information or services shall be limited to the amount paid by you to the Academy for the information or coding service.

© 2015 American Academy of Ophthalmology

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.